


# Pružiny do nástrojov a foriem podľa DIN 10243 – NP\_KP-TR



1N=0,102kg (sila)

KATALÓGOVÉ ČÍSLO	D <sub>H</sub>	D <sub>D</sub>	L <sub>0</sub>	Tuhosť k	20%		25%		30% Max. dovolené stlačenie		D Max. stlačenie	
	d											
	mm	mm										mm
TR 10 - 025	10	5	25	20.7	5.0	103	6.3	129	7.5	155	8.6	178
TR 10 - 032			32	16.1	6.4	103	8.0	129	9.6	155	10.9	178
TR 10 - 038			38	13.0	7.6	98	9.5	123	11.4	148	13.2	169
TR 10 - 044			44	10.9	8.8	96	11.0	119	13.2	143	14.7	160
TR 10 - 051			51	9.6	10.2	98	12.8	123	15.3	147	17.8	169
TR 10 - 064			64	7.7	12.8	98	16.0	123	19.2	147	22.9	173
TR 10 - 076			76	6.3	15.2	96	19.0	119	22.8	143	26.9	169
TR 10 - 305			1.6		305	1.5	61.0	93	76.3	116	91.5	139
TR 13 - 025	12.5	6.3	25	37.5	5.0	187	6.3	234	7.5	281	8.9	334
TR 13 - 032			32	28.9	6.4	185	8.0	231	9.6	277	11.2	325
TR 13 - 038			38	23.5	7.6	178	9.5	223	11.4	268	13.7	320
TR 13 - 044			44	19.6	8.8	173	11.0	216	13.2	259	15.7	311
TR 13 - 051			51	17.3	10.2	177	12.8	221	15.3	265	18.8	325
TR 13 - 064			64	13.5	12.8	173	16.0	216	19.2	259	23.6	320
TR 13 - 076			76	11.2	15.2	170	19.0	213	22.8	256	28.4	316
TR 13 - 089			89	9.5	17.8	168	22.3	210	26.7	252	33.0	316
TR 13 - 305	2.2		305	2.7	61.0	162	76.3	203	91.5	244	114.0	302
TR 16 - 025	16	8	25	81.6	5.0	408	6.3	510	7.5	612	9.1	747
TR 16 - 032			32	61.3	6.4	392	8.0	490	9.6	588	11.4	707
TR 16 - 038			38	49.9	7.6	379	9.5	474	11.4	569	14.2	712
TR 16 - 044			44	40.8	8.8	359	11.0	449	13.2	539	16.3	663
TR 16 - 051			51	35.6	10.2	363	12.8	453	15.3	544	18.8	672
TR 16 - 064			64	27.8	12.8	356	16.0	446	19.2	535	23.9	663
TR 16 - 076			76	22.8	15.2	346	19.0	433	22.8	519	29.0	663
TR 16 - 089			89	19.6	17.8	349	22.3	436	26.7	524	34.3	672
TR 16 - 102			102	17.0	20.4	347	25.5	433	30.6	520	39.4	667
TR 16 - 305			2.8		305	5.4	61.0	330	76.3	413	91.5	495



PRODUKT GROUP s.r.o.

Jánošíkova 560

906 32 Jablonica

IČO: 47723254

DIČ: 2024064031

IČ DPH: SK2024064031

[www.pruziny.com](http://www.pruziny.com)

## Predaj

Ing. Miriam Petrovičová

034 / 658 34 01

+421 910 397 780

[info@pruziny.com](mailto:info@pruziny.com)

## Obchod, odborné a technické poradenstvo

Miloslav Horňák

+421 905 249 175

[obchod@pruziny.com](mailto:obchod@pruziny.com)